

# A Quick Guide to PRIMER

A quick guide to get you up and running with PRIMER software by Marti J. Anderson (2024)

- [Citation](#)
- [1. General information](#)
- [2. Installing PRIMER software](#)
  - [Overview](#)
  - [Download the installer](#)
  - [Install and activate PRIMER](#)
  - [Uninstall / re-install PRIMER](#)
- [3. Download manuals and examples](#)
  - [Download manuals](#)
  - [Download example data](#)
- [4. Getting data in to PRIMER](#)
  - [Opening example data](#)
  - [Importing data from Excel](#)
  - [Post-import data checks](#)
  - [Save your data & workspace](#)
- [5. Example analysis pathway \(CLUSTER, MDS, ANOSIM\)](#)
  - [An analysis of biotic data](#)
  - [Step 1: Transformation](#)
  - [Step 2: Resemblance](#)
  - [Step 3: Cluster](#)
  - [Step 4: Ordination](#)

- Step 5: ANOSIM test
  - Summary of the pathway
- 6. Some Wizards
  - Basic multivariate analysis
  - Matrix display
- 7. Run a PERMANOVA
  - Overview
  - A three-factor hierarchical design
  - Steps in a PERMANOVA analysis
  - Step 1: Data selection
  - Step 2: Jaccard resemblance
  - Step 3: Specify the design
  - Step 4: Run PERMANOVA
  - Step 4 (continued): Key additional details about PERMANOVA in PRIMER
  - Step 5: Ordination of centroids
  - Summary of the PERMANOVA analysis
- 8. References

# Citation

Anderson, M.J. (2024) *A quick guide to PRIMER*. **PRIMER-e Learning Hub**. PRIMER-e, Auckland, New Zealand. <https://learninghub.primer-e.com/books/a-quick-guide-to-primer>.

# 1. General information

We're delighted that you've chosen to use PRIMER software. If you run in to any difficulties, we're here to help!

## Getting in touch with us

For any up-to-date news, including details of upcoming courses, please consult our website:

<https://www.primer-e.com/>.

Please report any bugs or technical problems to: *tech@primer-e.com*

For licensing and other general enquiries, contact the PRIMER-e administrative office at: *primer@primer-e.com*.

## Resources

This guide is designed to get you quickly up and running with PRIMER software. More detailed information and examples of virtually all of the analyses offered by PRIMER and PERMANOVA+ software are found in the following **manuals**, all of which are downloadable from within the software, and are also available for perusal here on our Learning Hub:

- Clarke KR, Gorley RN, Somerfield PJ & Warwick RM. (2014). *Change in Marine Communities, 3rd edition*. PRIMER-E Ltd: Plymouth, UK.
- Clarke KR & Gorley RN. (2015). *PRIMER v7: User Manual / Tutorial*. PRIMER-E Ltd: Plymouth, UK.
- Anderson MJ, Gorley RN & Clarke KR. (2008). *PERMANOVA+ for PRIMER: Guide to Software and Statistical Methods*. PRIMER-E Ltd: Plymouth, UK.

## System requirements

For PRIMER version 7 and PERMANOVA+:

- **Operating system:** Windows 10 or 11 (must be Windows XP or later).
- **CPU:** Modern Intel or AMD processor
- **RAM:** 8 GB or more
- **Hard-disk space:** 100 MB or more

Note that PRIMER will not run natively on Apple Mac OSX, but can be run *via* virtualization software or BootCamp. Also, to be able to read and write Excel worksheets, you will need Excel 2000, or later, installed.

PRIMER software is a device-independent installation; it is not for terminal servers.

## 2. Installing PRIMER software

# Overview

Here we provide instructions for the download and installation of PRIMER 7 (with PERMANOVA+). Please read this information in conjunction with our **End-User Licence Agreement** ([EULA](#)).

These instructions are applicable to enable activation of single end-user licences of the software for any of the following sectors:

- COMMERCIAL (Private enterprise, consultant, for-profit organisation)
- PUBLIC (Government/State agency, museum, not-for-profit organisation)
- ACADEMIC (University/College faculty, technicians and postdoctoral researchers)
- STUDENT (Full-time student at undergraduate, Masters or PhD levels)

Your purchased **Licence Key** (32 characters) will authenticate the software. Your licence is identified by a unique **serial number**, which you should use in any communication with us regarding your licence.

## Trial mode vs Fully-featured version

PRIMER 7 (with PERMANOVA+) software can be downloaded and installed either **in trial mode**, (free for 30 days) or as a **full version**, which requires payment for a licence activation key.

In trial mode, all PRIMER 7 and PERMANOVA+ routines are available, but you will be unable to save or print, and all graphics you produce will be watermarked, so presentation-standard output is unobtainable from screen grabs. You will be able to access a small sub-set of example data files from within the “Help” menu (although not the full, more extensive set of example data files). The trial version has a 30+ day expiry date, with an additional grace period, but will then cease to operate – reinstallation of the trial version on the same machine is not possible.

The full version is activated by **entering your Licence Key** in the Install routine. A valid installation key can be purchased at any time from PRIMER-e and inputting that to the Install routine when on-line will remove all such printing and saving restrictions and watermarks. Once purchased, your single end-user License Key can be used to activate the fully-featured PRIMER software on up to two (2) computers (e.g., at home and at work). You will then be able to save, print and produce graphics without a watermark and access the full set of extensive example data files.

If you need to move your PRIMER software to a new machine (or re-image the machine), first **uninstall your Licence Key**. If you are unable to uninstall the Licence Key (e.g., due to machine failure), contact us on [tech@primer-e.com](mailto:tech@primer-e.com), and our technical team can **reset your Licence Key** for installation onto a new machine.


## PRIMER 7 and the PERMANOVA+ add-on

The trial software includes both PRIMER and PERMANOVA+, but if only the base package of PRIMER is purchased (without the PERMANOVA+ add-on), then the PERMANOVA+ routines will not be enabled and those menu items will no longer appear. If you purchase PRIMER 7 with PERMANOVA+, your Licence Key will enable all routines.

If a single-user PERMANOVA+ licence, for use with PRIMER 6, is already registered to you then no further purchase of PERMANOVA+ is needed when you upgrade to PRIMER 7 – it operates in essentially the same way with PRIMER 7 as it did with PRIMER 6. When you upgrade, you will be given a single installation key, and your PRIMER 7 software will include the PERMANOVA+ add-on as well, due to your pre-existing licence for this.


## How do I know if I have the PERMANOVA+ add-on?

Once PRIMER is installed, click on **Help > About PRIMER...**. The splash screen will show the add-on as being present if you have purchased it (as in the image below). If your licence key includes PERMANOVA+, then you will also see the PERMANOVA+ menu item appear within PRIMER when you select a resemblance matrix in the workspace tree; almost all the routines in PERMANOVA+ begin from a chosen resemblance matrix.



## Check for updates


Click on **Help > Check for Updates....** If an update is available (as in the image below), click on **Update** and follow the instructions.



## 2. Installing PRIMER software

# Download the installer

1. First, head to our [download page](#). Where it says 'Choose your Software', choose 'PRIMER 7 with PERMANOVA+, Full version - valid licence key required'.



2. Enter your details and tick the box ☐ 'I'm not a robot' (you will need to successfully follow the ensuing verification instructions associated with this statement), then click on the green button to 'Download software'.

## 2 Enter your details

First name:

Joe

Last name:

Blogg

Email:

joe.blogg@gmail.com

Company / organisation:

Amazing Science Ltd

Country:


New Zealand

☒ I would like to know about software updates and upcoming courses. I can unsubscribe at any time. [Privacy Policy](#)

☒ I have read and agree to the [Terms & Conditions](#)



I'm not a robot



Download software →

3. On the screen that says 'Thank you!', click on the link to download the executable file for installation: "PRIMER7Setup.exe". This file will then be available for you in the 'Downloads'

folder on your machine.

# Thank you!

Download the file by clicking here: [PRIMER7Setup.exe](#)



Feel free to [contact us](#) if you have any issues.

To download the manuals, head to our [Learning Hub](#)

## Install the software

Once the download has completed, double click on the downloaded installation file ('[PRIMER7Setup.exe](#)') to start the installation process.


## 2. Installing PRIMER software

# Install and activate PRIMER


## Install the software

**Important note:** You will require administrator permissions on your user account to install PRIMER on your computer. If you do not have these permissions, please contact your IT team who should be able to assist you in installing PRIMER.


1. Double click on the downloaded installation file ('PRIMER7Setup.exe') to start the installation process:



2. A 'PRIMER 7 Setup' window will appear. Please read the 'End-User License Agreement for PRIMER'. If you agree to the terms and conditions of this EULA, click on the tick-box 'I agree to the license terms and conditions' and then click on **Install**.




3. Follow the prompts and once the installation has successfully completed, click **Close**.




## Activate the licence key

You must be connected to the internet to carry out the licence authentication, though after that the software can be run when not connected.


1. Double-click on the desktop icon to launch the PRIMER 7 software.



2. Click on the **Install License** button in the 'Welcome to PRIMER 7' dialogue box. (Note: If you have already exhausted your 30-day trial, a message may appear to advise you that 'Your evaluation period has expired'. If that happens, simply click on **Install License** to carry on with the instructions to activate your licence.)
3. Copy and paste your 32-character Licence Key code into the 'License Key' box and click on **Install**. (Note: the installation key shown in the image below is not a valid licence key - you have to paste in your own!)



4. In the 'License Status' box it will tell you it is 'Authenticating', then it will indicate 'License Installed'. Click on **Close**.

 Install PRIMER 7 License ×

To install a new license, enter the license key you received on purchasing the product and click the Install button. The Save and Load License buttons can be used to save/restore the installed license to a file for backup.

License Key	<input type="text"/>	<input type="button" value="Install"/>
License Status	<input type="text" value="License Installed"/>	
Computer ID	<input type="text" value="PE02"/>	

The installer will then automatically open your PRIMER-e software.

*Note:* If your firewall denies access to our authentication server and your IT service cannot unblock this, please contact the PRIMER-e office for assistance to authenticate your licence:  
[primer@primer-e.com](mailto:primer@primer-e.com).

## 2. Installing PRIMER software

# Uninstall / re-install PRIMER

If you need to move the PRIMER software to a new machine (or re-image the machine), first uninstall your Licence Key (when connected to the internet) and then uninstall the PRIMER software, if required. Uninstall-reinstall cycles are intended to cope with the purchase of new machines (not regular movements between a larger body of PCs). A given Licence Key will permit 4 such uninstall-reinstall cycles only.


**Important note:** You will require administrator permissions on your user account to uninstall PRIMER from your computer. If you do not have these permissions, please contact your IT team who should be able to assist you in uninstalling PRIMER.

## To uninstall your Licence Key:


1. Open PRIMER and click on **Help > Install License....**
2. In the 'Install PRIMER 7 License' window, click on **Uninstall License.**
3. In the 'Confirm License Uninstall' window, click on **Yes** to confirm. It will 'De-authenticate' before telling you there is 'No License Installed'. Click on **Close**.

## To uninstall the PRIMER software from your machine:

1. Press the 'Windows Key' and the 'R' key on your keyboard at the same time to open the 'Run' window.




2. In the 'Run' window, type 'appwiz.cpl', then Click **OK**.




3. A new window will pop up with a list of installed programs on your computer. Look for 'PRIMER 7' in the list (programs are shown alphabetically), or type 'PRIMER 7' in the 'Search Programs and Features' box (located in the top right-hand corner of the dialog),

and then select the PRIMER 7 program shown in the list with your mouse so that it is highlighted.




4. With the PRIMER 7 software highlighted, click the **Uninstall** button at the top of the list, then just follow the prompts to finish uninstalling the PRIMER software. Please note, you must have administrator permissions on your user account to perform this operation.
5. If you have a valid PRIMER license activated when uninstalling PRIMER software from your machine, you should receive a prompt that says "Do you want to uninstall your PRIMER 7 license to allow you to install it on another machine?" You should click "Yes". The only exception is if you are planning on reinstalling PRIMER on the same machine again, then click "No" and follow the procedure to [Install and activate PRIMER](#).



(Note: When you next attempt to start up PRIMER 7, it may tell you that 'Your evaluation period has expired'. You will be able to re-install the Licence anew by clicking on **Install License** and entering your current or a new Licence Key.)

## To uninstall your current Licence Key and reinstall with a new Licence Key

1. Open PRIMER, select **Help > Install License**.
2. In the 'Install PRIMER 7 License' window, click on **Uninstall License**.
3. In the 'Confirm License Uninstall' window, click on **Yes** to confirm this action. It will 'De-authenticate' before telling you there is 'No License Installed'.
4. Next, copy and paste the new Licence Key into the 'License Key' box and click on **Install**.



## Reset a Licence Key

If you are unable to uninstall the software from your machine before installing on a new machine (e.g., machine failure), please email us directly at [primer@primer-e.com](mailto:primer@primer-e.com) with your name, licence serial number (or Licence Key) and a request to reset your licence. We'll check the information you provide against our records and let you know once the licence key has been re-set and ready for re-installation (within 1-2 business days). If you are not the registered end-user, please note that we will need the registered end-user to get in touch with us to confirm your request.

## 'The number of installations has been exceeded'

When installing the software on a new machine, you may see an error message that says, 'The number of installations allowed for this licence key has been exceeded'. If you have multiple machines with PRIMER installed, simply uninstall PRIMER from one of them to allow you to install it on a different machine. If you are unable to do this, please email us directly at [primer@primer-e.com](mailto:primer@primer-e.com) with your name, licence serial number (or Licence Key) and a request to re-set your licence.

# 3. Download manuals and examples

(from within the PRIMER software)


### 3. Download manuals and examples

# Download manuals

The following **manuals** can be downloaded from within the software itself:

- **Getting Started...**: Clarke, K.R., Gorley, R.N. (2015) Getting started with PRIMER v7. PRIMER-e: Auckland, New Zealand.
- **User/Tutorial Manual...**: Clarke KR, Gorley RN (2015) PRIMER v7: User Manual/ Tutorial. PRIMER-e: Auckland, New Zealand.
- **Methods Manual...**: Clarke KR, Gorley RN, Somerfield PJ, Warwick RM (2014) Change in marine communities: an approach to statistical analysis and interpretation, 3rd edition. PRIMER-e: Auckland, New Zealand.
- **PERMANOVA+ Manual...**: Anderson MJ, Gorley RN, Clarke KR (2008) PERMANOVA+ for PRIMER: Guide to software and statistical methods. PRIMER-e: Auckland, New Zealand.

You must be connected to the internet to download the manuals. Simply click on the **Help** menu item in PRIMER, then choose which manual you wish to download as a pdf. Each of these manuals are a substantial tome and together these will provide you with virtually all the information you will need to run the routines, analyse your data, produce graphics and interpret relevant output.



Once downloaded the manuals can then be read and searched (at any time, whether you are connected to the internet or not) and can be printed, if you wish, for your own personal use. The manuals are also freely available for perusal on our website's [Learning Hub](#).

Please note that the PERMANOVA+ Manual will only be available from within the software if you have purchased the PERMANOVA+ add-on (see '[How do I know if I have the PERMANOVA+ add-on?](#)').


### 3. Download manuals and examples

# Download example data

You must be connected to the internet to download the example datasets.

The **Help** menu item in PRIMER has options to retrieve folders that contain a large number of example datasets. These include:

- **Examples Trial...**: available when the software is in free-trial mode;
- **Examples V7...**: to accompany the base PRIMER package; and
- **Examples add-on...**: to accompany the PERMANOVA+ add-on package.



You can download and save these to a folder of your choice when prompted. These datasets provide a wealth of examples from the literature, and they are referred to extensively throughout the manuals.

We highly recommend working slowly through the manuals and replicating the examples given there with the example datasets provided as an excellent way to familiarize yourself with the program and its many routines. Example datasets are also used extensively in our international workshops. For details of upcoming workshops across the globe, consult our website:

<https://www.primer-e.com>.

## 4. Getting data in to PRIMER

# Opening example data

## Data from the Fal estuary


Example datasets in PRIMER can be obtained *via* the **Help** menu item. In trial mode, click **Help > Get Examples Trial...**, and you can download the following four files of example data (held in a folder called 'Examples Trial') to a location of your choice:

- **Fal environment.pri** (measured values for 12 environmental variables x 27 sites)
- **Fal environment.xls** (same as above, but in Excel format)
- **Fal nematode abundance.pri** (abundances of 62 nematode species x 27 sites)
- **Fal nematode taxonomy.agg** (taxonomic hierarchy for the 62 nematode species)

These data come from a study of benthic infaunal communities in soft sediments from 27 sites over five creeks of the Fal estuary, SW England ( [Somerfield \*et al.\* \(1994a\)](#) , [Somerfield \*et al.\* \(1994b\)](#) ). Sediments at these sites were contaminated to varying degrees by heavy metals, from historic mining activities. Both faunal counts (nematodes) and environmental measures were obtained from the same set of sites. (*Note:* the extension **\*.pri** indicates a file containing a data matrix that has been saved in PRIMER 7's own internal (binary) format, unreadable by other software or earlier versions of PRIMER. Similarly, the **\*.agg** extension indicates an aggregation-type file for PRIMER.)

## Open the Fal data in PRIMER

To open the species-by-samples data matrix, launch PRIMER, then click **File > Open** from the main menu, navigate to the 'Examples trial' directory in the location you have specified, and select '**Fal nematode abundance.pri**'. Click **Open** to display the species matrix.



Alternatively, because this is a PRIMER file type (\*.pri), you can instead use Windows Explorer to navigate to your specified folder and just double-click on the file name. This will launch a PRIMER session, with the data matrix open in the PRIMER desktop.

PRIMER 7

File Edit Select View Wizards Pre-treatment Analyse Plots PERMANOVA+ Tools Window Help

Workspace Fal nematode abundance

Fal nematode abundance

*Fal estuary nematodes*  
*Abundance*

	Samples						
	R1	R2	R3	R4	R5	R6	R7
Anoplostoma vivip	0	0	0	0	0	0	0
Halalaimus gradis	0	0	0	0	0	0	0
Halalaimus longica	0	0	0	0	0	0	0
Oxystomina elongat	0	0	0	0	0	0	0
Viscosia viscosa	0	0	0	0	0	0	0
Tripyloides gradis	149	181	385	289	170	614	
Atrochromadora mi	0	0	0	0	0	0	0
Chromadora macro	0	4	29	63	263	123	
Chromadora nudica	0	0	0	0	0	0	7
Chromadorella ?du	0	0	0	0	0	0	0
Chromadorita nana	0	0	0	0	0	0	0
Chromadorita tenta	0	0	0	0	0	0	0
Dichromadora geop	5	0	0	0	0	0	7
Hypodontolaimus h	40	44	25	18	5	14	

Properties of the data

Click on **Edit > Properties** and you will see that PRIMER-format \*.pri sheets carry other information about the data matrix as well, including:

- Title,
- Data type,
- Array size (number of columns and rows),
- Orientation (whether samples are found in columns or rows),
- a Description, and
- a History of what pre-treatments (such as a transformation) have been applied to them.

Sample Data Properties

Title:  
Fal estuary nematodes

Data type:  
☒ Abundance  
☐ Biomass  
☐ Environmental  
☐ Unknown/other

History:

Samples as:  
☒ Columns  
☐ Rows

Number of columns: 27  
Number of rows: 62

Description:  
Abundance of nematodes (counts from identifications in a random sub-sample multiplied up by total nematode count for each sample, so has the statistical properties of density rather than pure count).  
Data from meiofauna cores of the sediments of 27 sites over 5 creeks of the Fal estuary, Cornwall, UK.

OK Cancel Help

## Factors associated with the data

Click on **Edit > Factors**, and you can see that a subsidiary sheet of three factors is also linked to this worksheet: 'Creek', a single-letter abbreviation for the creeks, the full 'Creek name' and a numeric 'Position' factor identifying the location of each sampling site down each creek.

Factors

Edit Fill

Add...
Combine...
Rename...
Reorder...
Delete...
Key...
Import...
OK
Cancel
Help

Label	Creek	Creek name	Position
R1	R	Restronguet	1
R2	R	Restronguet	2
R3	R	Restronguet	3
R4	R	Restronguet	4
R5	R	Restronguet	5
R6	R	Restronguet	6
R7	R	Restronguet	7
M1	M	Mylor	1
M2	M	Mylor	2
M3	M	Mylor	3
M4	M	Mylor	4
M5	M	Mylor	5
P1	P	Pill	1
P2	P	Pill	2
P3	P	Pill	3
P4	P	Pill	4
P5	P	Pill	5
J1	J	St Just	1
J2	J	St Just	2

Note that additional factors could be added here by clicking **Add**, and also combinations of levels of existing factors can be created by clicking on **Combine**.

#### 4. Getting data in to PRIMER

## Importing data from Excel

### Step 1. Ensure your data are in a format suitable for import into PRIMER

Suppose we have a dataset in Excel that is already in a suitable format for import into PRIMER. The environmental data from the Fal estuary provides an example of this. These data are found in the file 'Fal environment.xls' and consist of values for each of 12 environmental variables measured from sediments collected from 27 sites across 5 tidal creeks in the Fal Estuary (available from within PRIMER by clicking **Help > Get Examples Trial...**, as seen in the last section).

	A	B	C	D	E	F	G	H	I	J	K	
1	Fal estuary environmental variables											
2		R1	R2	R3	R4	R5	R6	R7	M1	M2	M3	M4
3	% silt/clay	87	76	71	73	45	70	61	97	92	93	
4	% organic carbon	6.8	6.5	5.7	5.7	3.9	8.7	6.5	8.5	9	8.5	
5	Ag	4.94	4.91	3.27	3.04	3.09	3.43	2.73	2.34	2.2	2.48	
6	Cd	3.75	4.45	2.49	2.61	1.44	2.59	1.91	1.57	1.48	1.46	
7	Co	27.4	27.2	21.5	18.7	17.3	22.2	18.8	13.3	12.8	12.2	
8	Cr	45.4	43.8	37.9	32.4	34	41.3	36.4	66.3	56.5	63	
9	Cu	3302	3373	2387	2176	2040	2452	1997	1354	1246	1274	
10	Fe	67862	68098	53118	49505	47250	55256	49826	42261	41326	41584	
11	Mn	611	586	521	521	507	539	488	405	411	392	
12	Ni	37.3	35.9	28.1	26.5	27.6	29.2	25.3	33.8	31.7	32.6	
13	Pb	271	265	192	180	165	206	185	196	179	186	
14	Zn	5279	5873	3583	3328	2252	3475	2900	1460	1357	1481	
15												
16	Creek	R	R	R	R	R	R	R	M	M	M	M
17	Creek name	Restrongu	Restrongu	Restrongu	Restrongu	Restrongu	Restrongu	Restrongu	Mylor	Mylor	Mylor	Mylor
18	Position	1	2	3	4	5	6	7	1	2	3	
19												

*Important things to note about this file:*

- There is a *title* for the dataset ('Fal estuary environmental variables') in the very first (upper left-hand) cell (A1). This title is optional, but handy as a naming convention.
- The cell immediately under the title (cell A2) is *empty*.
- There are *column labels* ('R1', 'R2', ...) in row 2. These are unique labels for the sampling units (Sites in this case).

- There are *row labels* ('%silt/clay', '% organic carbon', ...) in column A. These are unique names associated with each variable.
- The entries for every cell in the matrix of data itself (beginning with cell B3) all contain *numerical values only*. There are no non-numeric characters. This means that you may not use 'NaN' or 'NAN' to denote missing values. If data are missing from a cell, then it should be left **blank**. In addition, symbols such as '<' or '>' (for 'less than' or 'greater than') are similarly not permitted or accepted as valid data values within the data matrix.
- In this example, the variables are rows and the sampling units (sites) are columns. It is perfectly ok to have this formatted the other way around, with variables as columns and sampling units as rows. You will specify the orientation of your data matrix explicitly when you import your Excel file into PRIMER.

This format must be adhered to precisely, with no extra blank rows or columns, or extra headers, otherwise PRIMER will not be able to open it successfully.

*Other things to note:*


- **Factors:** You can label the sampling units as belonging to a level of one (or more) factors by **skipping a line** at the bottom of the matrix and placing this 'factor information' there. In the above image you can see that there are three factors: 'Creek' (row 16), 'Creek name' (row 17) and 'Position' (row 18).
- **Indicators:** You can similarly label variables as belonging to particular groups in the same manner; this is done along the *other* margin of the data matrix (e.g., after skipping a column, for this example). This might be useful for doing analyses on subsets of variables belonging to different types, such as physical vs chemical variables. In a case where variables are species, one might want to consider subsets of variables corresponding to families, functional groups, etc.

Inclusion of one (or more) *factors* (to specify groups of samples) or *indicators* (to specify groups of variables) is optional. If you have more than one factor, then these are given one after the next (in adjacent rows); do not put blank rows between multiple factors. The initial single blank row (or column) is there simply to demarcate the difference between the data matrix itself and additional information about the data matrix upon import.


## Step 2. Open PRIMER and import the data from Excel

Once your Excel file is ready, open up PRIMER and choose **File > Open**. Look at the bottom of the dialog box and you will see next to the words 'File name:' that the only files that PRIMER can see is: 'All PRIMER Files...'. Click on 'All PRIMER Files...' and change this to 'Excel Files...'. Once you have done this, you should be able to browse and see the Excel data file that you want.

1. Click on the name of your Excel file in the browser (here it is 'Fal environment.xls'), then click **Open**.



2. This will initiate PRIMER's Excel File data-import Wizard. Choose the name of the specific sheet within your Excel file that contains your data and the type of data you are importing. Here, we have (Excel worksheet: **Sheet1**) & (Data type **Sample data**), then click **Next >**.



3. Choose the correct orientation, type of data and the meaning of blank entries (if any). For this example, we have (Orientation **Samples are columns**) & (Data type **Environmental**) & (Blank = **Missing value**), then click **Finish**.

Excel File Wizard - 'Fal environment.xls'

☒ Title  
☒ Row labels

Orientation  
☒ Samples as columns  
☐ Samples as rows

Data type  
☐ Abundance  
☐ Biomass  
☒ Environmental  
☐ Unknown/other

Blank =  
☒ Missing value  
☐ Zero

Cancel < Previous Next > Finish Help

4. You will now see your data file has been imported and is nicely displayed in the PRIMER workspace. It appears in its own window, and its name also appears in the 'Explorer tree'-type window shown on the left-hand side of the PRIMER desktop.

PRIMER 7

File Edit Select View Wizards Pre-treatment Analyse Plots PERMANOVA+ Tools Window Help

Workspace  
Fal environment

Fal environment

*Fal estuary environmental variables*  
*Environmental*

	Samples						
	R1	R2	R3	R4	R5	R6	R7
% silt/clay	87	76	71	73	45	70	6
% organic carbon	6.8	6.5	5.7	5.7	3.9	8.7	6.
Ag	4.94	4.91	3.27	3.04	3.09	3.43	2.7
Cd	3.75	4.45	2.49	2.61	1.44	2.59	1.9
Co	27.4	27.2	21.5	18.7	17.3	22.2	18.
Cr	45.4	43.8	37.9	32.4	34	41.3	36.
Cu	3302	3373	2387	2176	2040	2452	199
Fe	67862	68098	53118	49505	47250	55256	4982
Mn	611	586	521	521	507	539	48
Ni	37.3	35.9	28.1	26.5	27.6	29.2	25.
Pb	271	265	192	180	165	206	18
Zn	5279	5873	3583	3328	2252	3475	290


Now that the data are in PRIMER, it is a good idea to do some post-import data checks.

#### 4. Getting data in to PRIMER

## Post-import data checks

### Check the orientation

After import, make sure you have specified the orientation correctly by examining the labels on the columns and rows of the data frame. For example, after importing the Fal environmental data from Excel (see the previous page), you can see that the columns are 'Samples' (a periwinkle-coloured strip across the top) and rows are 'Variables' (an olive green-coloured strip along the left margin).




	Samples						
	R1	R2	R3	R4	R5	R6	R7
% silt/clay	87	76	71	73	45	70	6
% organic carbon	6.8	6.5	5.7	5.7	3.9	8.7	6.
Ag	4.94	4.91	3.27	3.04	3.09	3.43	2.7
Cd	3.75	4.45	2.49	2.61	1.44	2.59	1.9
Co	27.4	27.2	21.5	18.7	17.3	22.2	18.
Cr	45.4	43.8	37.9	32.4	34	41.3	36.
Cu	3302	3373	2387	2176	2040	2452	199
Fe	67862	68098	53118	49505	47250	55256	4982
Mn	611	586	521	521	507	539	48
Ni	37.3	35.9	28.1	26.5	27.6	29.2	25.
Pb	271	265	192	180	165	206	18
Zn	5279	5873	3583	3328	2252	3475	290

If you happen to get this the wrong way around (e.g., if your variables are actually columns instead of rows), this can easily be changed (swapped around) by choosing **Edit > Properties** and toggling the radio button for 'Samples as' to either '\$\bullet\$Columns' or '\$\bullet\$Rows', whichever is appropriate.

### Check the properties, factors and indicators

To be sure that the import has been fully successful, including all data points, factors and indicators that may have been included in your original Excel file, you can see additional information attached to your data matrix by clicking on your imported dataset in PRIMER, and doing the following:



- Look at the data properties, size of the matrix, etc.: Click **Edit > Properties....** Note that you can add a useful 'Description' of your data into this dialog if you like. (For the Fal environmental dataset, we can see there are 12 variables and 27 sites, etc.).

Sample Data Properties

Title:  
Fal estuary environmental variables

Data type

☐ Abundance  
☐ Biomass  
☒ Environmental  
☐ Unknown/other

History:

Samples as


☒ Columns  
☐ Rows

Number of columns: 27  
 Number of rows: 12


Description:

OK Cancel Help

- Look at the Factors (if any): Click **Edit > Factors....** (For the Fal environmental dataset, you will see the same three factors of 'Creek', 'Creek name' and 'Position' that we saw in the Excel file).



- Look at the Indicators (if any): Click **Edit** > **Indicators....** (For the Fal environmental dataset, there were no indicators, but you could add some here, if you wish).




Run PRIMER's data-checking tool


As an additional option, you can run PRIMER's internal data-checking tool to find and identify certain other features that might be present in your data, including:

- Missing values,
- Negative values,
- Duplicate samples,
- Duplicate variables,
- All-zero samples,
- All-zero variables, and/or
- Estimated values

To run this routine, start by clicking on your datasheet, then click on **Tools > Check...**:



For the Fal environmental data, none of these features occurred (see below), and we are ready to proceed with subsequent analyses.




#### 4. Getting data in to PRIMER

## Save your data & workspace

### Save your data in PRIMER (\*.pri) format


To save a data sheet in PRIMER (\*.pri) format, click on the data sheet inside the PRIMER workspace you want to save and click **File > Save Data As...**



Note the default file-type for saving a data file is 'PRIMER Data Files (\*.pri)', as shown in the box labeled 'Save as type:' in the 'Save' dialog. You can change this (by clicking in the 'Save as type:' box) in order to save the data in some other format of choice, such as \*.txt, \*.csv \*.xls, \*.xlsx, or in a PRIMER format compatible with older versions of the PRIMER software.

### Save your entire PRIMER workspace (\*.pwk)

Generally, you will want to save your data *plus* all of the work you have done in PRIMER to analyse that dataset. To save the entire PRIMER workspace, click **File > Save Workspace As...**



Type the file name you wish (e.g., **Fal environment.pwk**), and click **Save**. This will save the *entire* PRIMER workspace (not just the datasheet), including all elements you may have created during the PRIMER session (e.g., data, graphics, analyses, etc.), all of which you are able to navigate and see listed (in hierarchical fashion) within the Explorer tree window on the left-hand side of the open PRIMER workspace.

A PRIMER workspace file is identifiable by using the file extension **\*.pwk** in the file name. Double-clicking on a file with this extension will open up that entire PRIMER workspace within the PRIMER software.

## 5. Example analysis pathway (CLUSTER, MDS, ANOSIM)

# An analysis of biotic data

## Rationale

Multivariate data are very complex and can be difficult to analyse and interpret. Each variable can be considered its own **dimension**, with its own story to tell. Thus, when there are a lot of variables (e.g., if we have sampled occurrence, abundance, or biomass of individual species in a community, and each species is a variable), then we have a very **high-dimensional** system to consider. We can choose to analyse each variable individually, but this would be time-consuming if we have a lot of variables. Also, for biotic data, many species are rare, so our data will be riddled with a large number of zeros - it would be difficult to characterise anything about individual rare species on their own. Furthermore, what we are usually aiming to do is to characterise and analyse the **whole community** *simultaneously* and how it may be changing through time or space, or in response to some experimental treatments (such as human impacts or management scenarios, etc.).

When analysing multivariate biotic data (especially those having a large number of variables), a useful approach is to base the analysis on a resemblance measure (i.e., a dissimilarity or similarity measure), calculated among the sampling units (e.g., [Clarke \(1993\)](#) , [Anderson \(2001a\)](#) , [McArdle & Anderson \(2001\)](#) ). A resemblance measure such as Bray-Curtis captures the ecological idea of **turnover** in the identities and relative abundances of species between any pair of sampling units ( [Clarke et al. \(2006\)](#) , [Anderson et al. \(2011\)](#) ). For many routines in PRIMER, the fundamental starting point is a **resemblance matrix**, which expresses (numerically) the (dis)similarities between every pair of samples.

Before calculating a resemblance matrix, some **pre-treatment** of the data (sometimes in more than one way) is usually desirable. For assemblage data, an **overall transformation** can be used to reduce the dominant contribution of abundant species towards Bray-Curtis similarities. For example, a fourth-root transformation will down-weight the influence of highly-abundant taxa.

From a resemblance matrix, we may readily apply the following methods (Fig. 5.1):

- **Cluster analysis**, to help characterise inter-sample relationships, showing potential groups of similar samples;
- **Ordination**, to help visualise inter-sample relationships in a small number of dimensions (usually 2 or 3); and
- **Hypothesis-testing**, to formally test a particular null hypothesis of interest, such as  $H_0$ : 'There are no differences in community structure among different (*a priori*) groups of samples'.




Fig. 5.1. Schematic diagram of a simple multivariate analysis pathway, including transformation, resemblance, clustering, ordination and hypothesis-testing.

## Some steps for analysis

In what follows, we shall take the 'Fal nematode.pri' example dataset in PRIMER and proceed along a simple multivariate analysis pathway according to the following steps:


1. Apply a fourth-root **transformation** to the data (all variables).
2. Calculate the Bray-Curtis **resemblance** among all pairs of samples.
3. Calculate a hierarchical group-average **cluster** analysis of the samples to produce a dendrogram.
4. Create a non-metric multi-dimensional scaling (nMDS) **ordination** plot of the samples.
5. Use the analysis of similarities (ANOSIM) to **test the null hypothesis** of no differences in community structure among the 4 creeks of the Fal estuary (with  $n = 5$  to 7 replicates per creek).

# Step 1: Transformation


## Perform the transformation

There are a range of possible transformations one might use in a pre-treatment of biotic data. For some discussion regarding appropriate pre-treatment transformations, see [Chapter 9](#) in '*Change in Marine Communities*'. In the case of the Fal data set, we may choose to downweight considerably the contribution of highly abundant taxa. Our first (pre-treatment) step will be to transform the data to fourth roots, i.e.,  $y' = y^{\{0.25\}}$ .


1. Launch PRIMER and click on **File > Open...**, choose the trial data file 'Fal nematode abundance.pri' in the browser window and click **Open**.




2. To perform an overall transformation of the data (i.e., on all variables), click **Pre-treatment > Transform(overall)....**




3. In the 'Overall Transform' dialog box, choose (Transformation: **Fourth root**), then click **OK**.



You should now see the transformed dataset (called '**Data1**') as the 'active window' in the PRIMER workspace. Note that the transformed datasheet has inherited all of the properties, factors and indicators that were associated with the original data as well.



You will also see a small file (called 'Overall Transform1'), indicated by a little notepad (📄) in the Explorer tree. This shows a little more information regarding the choices you made for this particular run of the **'Transformation(overall)...'** routine.



## The 'active window'


The active window is identified by slightly darker shading of its border within the PRIMER workspace. Its name is also shaded in the Explorer tree. When you want to run any particular routine in PRIMER, you will need to make sure that the correct dataset (or resemblance matrix) is the active window when you launch that routine.

Notice that, although the transformed data ('Data1') is output as the active window after you do a transformation, the original datasheet is still in your workspace, and you can navigate back to it either by clicking on it's name in the Explorer tree (look right under the word 'Workspace' for 'Fal nematode abundance'), or by clicking on the window containing the datasheet itself inside the PRIMER workspace.


## Re-name the transformed data

It is good practice to rename the datasheet corresponding to the transformed data for future reference within this workspace as you proceed with your work.


To re-name the datasheet within PRIMER, click on **File > Rename Data**.



In the dialog box, type the new name you want to call it (in this example, we could re-name the sheet containing transformed data as '4th-root', as shown below), then click **OK**.



Alternatively, you can simply click and hover over the word 'Data1' in the Explorer tree window, and you will be able to change the name *in situ* right there, viz:




Before heading on to Step 2, you can optionally also now click on **File > Save Workspace** to save your full workspace thus far (you could use the name 'Fal\_Workspace.pwk', for example).

## Step 2: Resemblance


For a description of the Bray-Curtis resemblance measure and the rationale for its use with biotic data, see [Clarke et al. \(2006\)](#) and [Chapter 2](#) in '*Change in Marine Communities*'.

1. With the data sheet named '4th-root' from the previous step as the active window, click on **Analyse > Resemblance...**




This dialog has a host of choices for you to consider, which you can uncover by clicking on the '\$\bullet\$Other' radio button. See [Clarke et al. \(2006\)](#) and chapter 7 in [Legendre & Legendre \(2012\)](#) for more details regarding the available choices here. For this example, however, we are going to use the Bray-Curtis resemblance measure. (This is the default for data of type 'Abundance').

2. In the 'Resemblance' dialog, under 'Measure', click on \$\bullet\$Bray-Curtis similarity (the default), then click **OK**.



You will see the resulting (lower triangular form of the) matrix of Bray-Curtis similarities between every pair of samples (called 'Resem1').



Notice that this will inherit relevant properties and also factors that were associated with the dataset from which it was generated. From the 'Resem1' matrix as the active window, click on **Edit** > **Properties** to see the properties associated with this resemblance matrix (shown below); you can also click on **Edit** > **Factors** to see the factors (which have not changed).

Resemblance Matrix Properties

Title:  
Fal estuary nematodes

Resemblance type

☒ Similarity

☐ Dissimilarity

☐ Distance

☐ Distance^2

☐ Correlation

☐ R

☐ Rank

Between

☒ Samples

☐ Variables

☐ Other

History:

Transform: Fourth root

Resemblance: S17 Bray-Curtis similarity

Number of row/columns: 27

Description:

Abundance of nematodes (counts from identifications in a random sub-sample multiplied up by total nematode count for each sample, so has the statistical properties of density rather than pure count).

Data from meiofauna cores of the sediments of 27 sites over 5

OK Cancel Help

- It is (once again) good practice to re-name the sheet containing the resulting resemblance matrix (currently called 'Resem1') something that would be more useful for future reference. Click on the 'Resem1' sheet, then click on **File > Rename Resem** and call it 'BC\_4th-root' for clarity in ensuing analyses.

PRIMER 7

File Edit Select View Analyse PERMANOVA+ Tools Window Help

New... Ctrl+N  
Open... Ctrl+O  
Undo Workspace  
Close Workspace  
Save Workspace Ctrl+S  
Save Workspace As...  
Save Resem As...  
Rename Workspace...  
Rename Resem F2  
Delete Resem  
Recent Workspaces  
Recent Items  
Exit

Resem1

*Fal estuary nematodes*  
*Similarity (0 to 100)*

	R1	R2	R3	R4	R5	R6	R7
R1							
R2	64.982						
R3	53.833	67.005					
R4	53.602	78.516	83.701				
R5	54.444	61.138	77.211	78.462			
R6	51.61	60.184	76.57	77.119	79.357		
R7	43.462	55.112	66.678	67.859	70.821	74.032	
M1	40.004	52.708	38.665	46.935	41.623	43.638	39.
M2	43.811	49.494	52.47	56.677	57.561	58.843	54.0
M3	32.397	37.747	29.797	39.536	32.493	40.112	32.4
M4	36.844	46.684	47.671	56.551	53.946	59.747	53.
M5	40.491	44.13	38.527	48.595	41.647	44.155	40.7
P1	29.593	42.889	45.549	49.238	44.34	49.873	43.4
P2	33.267	47.414	51.977	55.219	52.441	57.517	49.8

Row 1 Col 1

PRIMER

Rename

BC\_4th-root


OK Cancel Help

## Step 3: Cluster


Now that we have a resemblance matrix, we can proceed with a cluster analysis of the data. The purpose of a cluster analysis is to join together samples that are similar to one another, and also to clarify separations of groups (or clusters) of samples that may be dissimilar ( [Clarke \(1993\)](#) , [Legendre & Legendre \(2012\)](#) ). For descriptions of the clustering methods in PRIMER, see [Chapter 3](#) in '*Change in Marine Communities*'. The starting point for cluster analyses in PRIMER is always the resemblance matrix that quantifies inter-sample (or inter-variable) (dis)similarities.

### Perform the cluster analysis


1. In the PRIMER workspace file containing the Fal nematode data, click on the resemblance matrix of Bray-Curtis similarities calculated from fourth-root transformed data (called 'Resem1', or re-named to 'BC\_4th-root' in the Explorer tree) to make it the active window, then click on **Analyse > Cluster > CLUSTER...**.



2. To perform hierarchical agglomerative clustering with group-average linkage (also sometimes referred to as 'unweighted pair group method with arithmetic mean' or UPGMA), retain all of the defaults in the 'CLUSTER' dialog and click **Finish**.




You will see an output file that provides all of the details of the clustering algorithm's pathway (shown as '**CLUSTER1**' in the Explorer tree). A dendrogram will also appear as output in a new graphics window (shown as '**Graph1**' in the Explorer tree), viz:




## Customize the dendrogram graphic

You can do a number of customizations to the dendrogram graphic.

3. With the dendrogram as the active window, click on **Graph** and you will see a range of options.



Alternatively, you can right-click anywhere inside the dendrogram's graphic window itself and a similar list pops up, along with additional options for saving the graphic (or graph values) as a separate file, etc. Note that you can also save any graph by clicking on **File > Save Graph As...** with the graphic you want as the active window.




The choices of **Graph > Sample Labels & Symbols...** and also **Graph > General...** will show you a set of options for changing elements that are common to all (or most) graph types in PRIMER

(i.e., things like scales and labels to use for the x and y axes, titles and sub-titles, fonts, symbols, colours, etc.) In contrast, the choice of **Graph > Special..** will provide a special menu of graphical options *specific to that particular type of graph* - in this case, a dendrogram.


## Change labels and/or symbols

- Let's add some symbols to the plot, with the 4 creeks being represented by different symbols. Click **Graph > Sample Labels & Symbols....** In the resulting 'Graph Options' dialog, under the 'Samp. labels & symbols' tab, choose (Labels ☒ Plot) & (Symbols ☒ Plot & ☒ By factor **Creek**), then click **OK**.





Note that the 'Samp. labels & symbols' dialog will automatically offer you the option to choose labels or symbols corresponding to any factors that are associated with your resemblance matrix. *Tip:* For graphing purposes, it is a good idea to use short names for samples (if you can) and (more importantly) for levels of factors, so they will be easy to display on plots.


The result is a more colourful and informative dendrogram, which clearly shows a pattern of (generally) high similarity among assemblages within each of the four creeks, (similar symbols tend to be clustered together), and some clear distinctions between assemblages in different creeks, with Restronguet Creek ('R') appearing most different from the others (only about ~40% similar to other creeks, on average).






## Zoom in and out

If you have a very large dendrogram with a lot of samples, it is helpful to be able to zoom in and out in order to see details present in different portions of the dendrogram.

To Zoom in, click **Graph > Zoom in** (or click on the 'zoom-in' icon  in the ribbon of tools shown under the main menu items). In zoom-in mode, your cursor will change into a little 'plus' symbol  when poised over your graphic, and with this you simply click on the dendrogram to zoom in on that area. Click multiple times to continue zooming in.




To Zoom out, click **Graph > Zoom out** (or click on the little icon with a minus symbol inside a magnifying glass ). Now the cursor changes into a little 'minus' symbol , and clicking on the graphic zooms you back out again.

To cancel the zoom entirely (to see the entire dendrogram again), click on **Graph > Cancel Zoom** (or click on the cancel-zoom icon ).

## Collapse nodes to simplify

Another option, if you have a very large dendrogram, is to simplify the view by clicking on any one of the vertical branches. This will collapse all of the samples under that branch into a single entity, making it easier to see patterns in what remains. For example, click on the vertical branch that leads to all of the samples from Restronguet Creek ('R'), and the dendrogram will look like this:




Simply click on that same vertical branch again to toggle that 'collapse' option off, and you will see all of the individual samples within that node again in the full dendrogram, as before.

## Rotate leaves around the nodes

It is important to remember that the dendrogram should be thought of like a 'mobile', dangling from a ceiling. In this way, the leaves dangling from each node can be rotated around the node. Thus, the specific ordering of the samples you see in the dendrogram, while being constrained by it in some way, has a bit of flexibility: sample units can be rotated around the nodes.


To explore this flexibility visually, click on any horizontal line of the dendrogram, and you will see its leaves will 'flip', accordingly. Clearly, quite a lot of re-arrangements of the sample ordering provided in the initial output are possible, so it is often useful to experiment with this a bit to achieve an ordering that may be most useful for interpretation of relationships/clusters.

For example, one possible re-ordering looks like this:




## Change the orientation

The default output orientation for a dendrogram in PRIMER is to have the hierarchical agglomeration going 'Up' (i.e., individual sampling units hang downwards); however, you can customise its orientation. For example, for the Fal estuary nematodes, click on **Graph > Special...**, then in the 'Dendrogram Options' dialog box, under 'Orientation', choose **Right**, and click **OK**.



This yields the following:




## Step 4: Ordination

The cluster analysis goes some way towards helping us to understand potential patterns of similarity among the samples. It is particularly good at showing us clusters of samples that are highly similar. To better visualise patterns of relationships among all of the samples simultaneously, we can use methods of **ordination**. In particular, non-metric multi-dimensional scaling (nMDS) is a wonderfully robust tool for visualising high-dimensional systems on the basis of a chosen resemblance measure ( [Kruskal & Wish \(1978\)](#) ; [Clarke \(1993\)](#) ). Non-metric MDS essentially places points into an arbitrary Euclidean space of set dimension (typically producing a 2D or 3D plot) so as to preserve, as well as possible, the rank-order of the dissimilarities between pairs of samples. For more details on multi-dimensional scaling, see [Chapter 5](#) of '*Change in Marine Communities*'.


### Create a non-metric MDS plot

From the Bray-Curtis resemblance matrix ('BC\_4th-root' in this example), click **Analyse > MDS > Non-metric MDS...**, then click **OK** to run the MDS algorithm with all of the default options.



The screenshot shows the PRIMER 7 software interface. The 'Analyse' menu is open, and the path 'MDS > Non-metric MDS (nMDS)...' is highlighted. In the background, a table of Bray-Curtis dissimilarity values is visible, with columns labeled R2 through R7 and rows labeled R5 through P2. The table shows the following data:

	R2	R3	R4	R5	R6	R7
R5	64.982					
R6	53.833	67.005				
R7	53.602	78.516	83.701			
M1	54.444	61.138	77.211	78.462		
M2	51.61	60.184	76.57	77.119	79.357	
M3	43.462	55.112	66.678	67.859	70.821	74.032
M4	40.004	52.708	38.665	46.935	41.623	43.638
M5	43.811	49.494	52.47	56.677	57.561	58.843
P1	32.397	37.747	29.797	39.536	32.493	40.112
P2	36.844	46.684	47.671	56.551	53.946	59.747
	40.491	44.13	38.527	48.595	41.647	44.155
	29.593	42.889	45.549	49.238	44.34	49.873
	33.267	47.414	51.927	55.219	52.441	57.512

A screenshot of the 'Non Metric MDS' dialog box. It features several input fields and checkboxes. At the top, 'Min. Dimension' is set to 2 and 'Max. Dimension' is set to 3. Below these, 'Number of restarts' is 50 and 'Minimum stress' is 0.01. A 'Kruskal fit scheme' section contains two radio buttons, with '1' selected. To the right, there are checkboxes for 'Configuration plot' (checked), 'Animate' (unchecked), 'Shepard diagrams' (checked), 'Scree plot' (unchecked), and 'Ordinations to worksheet' (unchecked). A 'Fix Collapse' checkbox is unchecked, with a 'Metric proportion' field set to 0.05 below it. At the bottom are 'OK', 'Cancel', and 'Help' buttons. A mouse cursor is pointing at the 'OK' button.

Non Metric MDS

Min. Dimension: 2

Max. Dimension: 3

Number of restarts: 50

Minimum stress: 0.01

Kruskal fit scheme:

- ☒ 1
- ☐ 2

☐ Configuration plot

☐ Animate

☐ Fix Collapse

Metric proportion: 0.05

☒ Shepard diagrams


☐ Scree plot

☐ Ordinations to worksheet


OK Cancel Help

The resulting 'Multi-plot1' output graphic gives you 4 individual plots (in a 2-by-2 array), as follows:

- the best 2D solution (from 50 random starts)
- the Shepard diagram for the best 2D solution
- the best 3D solution (from 50 random starts); and
- the Shepard diagram for the best 3D solution



Clicking on the '+' symbol next to the word 'MultiPlot1' in the Explorer tree reveals the four graphics that comprise this multi-plot object ('Graph2', 'Graph3', 'Graph4', 'Graph5'). If you then click on 'Graph2' in the Explorer tree, or if you click in the Multi-plot itself on the plot in the upper left-hand corner, you will see a single graphic now; namely the best (lowest-stress) 2-dimensional non-metric MDS plot for the Fal estuary nematodes.



## Interpretation

The plot does not have x and y axes, as the scale here is arbitrary. The non-metric MDS algorithm attempts only to preserve rank-order dissimilarities, so interpretations are restricted to relative distances among points in the plot. For example, we can make statements like: "*The dissimilarity between sample R7 and M3 appears to be larger than the dissimilarity between sample M3 and M2*", but we cannot tell (directly from the plot) what the specific sizes of those particular dissimilarities are.


It is clear from this output that Restronguet Creek ('R') has assemblages of nematodes that are quite dissimilar from those found in the other four creeks. That's consistent with what we saw in the cluster analysis of these data. We can, however, get quite a few more insights from the nMDS plot than were apparent in the cluster dendrogram. For example, relationships among the assemblages from the other four creeks seem to be ordered (from the bottom-left towards the top of the plot) as follows: Percuil → St. Just → Pill → Mylor. It is also apparent that the samples from Pill Creek ('P') form a tighter cluster hence are not as variable as the samples from (say) Restronguet Creek ('R'), which are more spread out. Being able to see potential gradients of change in assemblages, the degree of between-group differences, as well as the relative sizes of within-group dispersions, is all very useful.

## Step 5: ANOSIM test

The ordination plot gives us a visualisation of the rank-order relationships among the samples, based on the dissimilarity measure. Next, we may wish to test the null hypothesis that there are no differences among the five creeks. We can use a non-parametric multivariate permutation test called analysis of similarities (ANOSIM, Clarke (1993)) for this test. For more details on the ANOSIM test, see also Chapter 6 in 'Change in Marine Communities'. We will be doing a one-way ANOSIM test here (as there is a single factor in this example); for more information on multi-way designs with ordered and/or unordered factors, see Somerfield *et al.* (2021a), Somerfield *et al.* (2021b) and Somerfield *et al.* (2021c).

### Perform the ANOSIM test

From the Bray-Curtis resemblance matrix (called 'BC\_4th-root' in this example), click on **Analyse > ANOSIM...** and you will see the ANOSIM dialog.



Here, we are performing a one-way ANOSIM (there is just one factor whose levels are un-ordered), so we can leave most of the defaults in the dialog as they are. We should, however, increase the permutations to a larger value, so change the 'Max permutations' from the default value of 999 to 9999, then click 'OK'.

ANOSIM

Design

Model:  
One-Way - A

Factors	Type	
A: Creek	Unordered	Levels...
B: Creek name	Unordered	Levels...
C: Position	Unordered	Levels...


Correlation method:  
(multiway tests with no replication)  
Spearman rank

Max permutations:  
9999

☐ Pairwise tests R/rho to worksheet  
☐ Pairwise tests sig% to worksheet  
☒ Plot histogram  
☐ R values to file


OK Cancel Help

The results, including the overall ANOSIM test for differences among all groups, as well as the ANOSIM tests of all pair-wise comparisons, are provided in the output file called 'ANOSIM1'. The overall test is clearly highly significant, with  $R = 0.816$  and a significance level of 0.01%. This corresponds to a p-value of  $P = 0.0001$  (the smallest possible value attainable for 9999 permutations). Note that, in PRIMER, all p-values are reported for ANOSIM tests as 'significance levels', expressed as a percentage. For example, a p-value of  $P = 0.0619$  would be given in the output file as a significance level of 6.19%.



The full set of pairwise tests is performed, and the strength of the differences between any pair of groups is well captured by the relative sizes of the  $R$  statistic - larger values indicate groups that are more different (more distinct or more easily distinguishable) from one another. The comparison of assemblages from St Just Creek (J) vs Percuil Creek (E) has the lowest  $R$  statistic ( $R = 0.508$ ) of any tests done in this example, although this difference is still a statistically significant one ( $P = 0.024$ ). Note that no 'correction' is being made here for multiple tests. The end-user is able to consider applying such a correction if desired (or may perhaps simply consider the frequency of 'significant' results obtained, given the number of tests performed), bearing in mind that each test is done using an exact permutation algorithm in order to generate the individual significance levels produced in the output, ignoring all other tests.

Also provided as output ('Graph6') is a histogram showing the distribution of values of the ANOSIM  $R$  statistic under permutation for the overall test. The observed value of the ANOSIM  $R$  statistic (0.816) is shown on the plot as a vertical dotted line. The purpose of the histogram is to show visually the departure of the observed value of  $R$  (or not) from the distribution of values of  $R$  expected under a true null hypothesis of 'no difference' among the groups.



## 5. Example analysis pathway (CLUSTER, MDS, ANOSIM)

# Summary of the pathway

A summary of the essential routines in PRIMER that were used to produce the 5-step analysis pathway described above for the nematode (biotic) data from the Fal estuary is given in the table below:

Step	To implement in PRIMER:
1. Fourth-root <b>transformation</b>	<i>From the original data sheet:</i> click <b>Pre-treatment</b> > <b>Transform(overall)</b> > (Transformation: <b>Fourth root</b> ), click <b>OK</b> .
2. Bray-Curtis <b>resemblance</b>	<i>From the transformed data sheet:</i> click <b>Analyse</b> > <b>Resemblance</b> > (Measure $\bullet$ Bray-Curtis similarity) & (Analyse between $\bullet$ Samples), click <b>OK</b> .
3. Hierarchical group-average <b>cluster</b> analysis	<i>From the resemblance matrix:</i> click <b>Analyse</b> > <b>Cluster</b> > <b>CLUSTER...</b> > (Cluster mode $\bullet$ Group average) & ( $\checkmark$ Plot dendrogram), click <b>Finish</b> .
4. Non-metric MDS <b>ordination</b>	<i>From the resemblance matrix:</i> click <b>Analyse</b> > <b>MDS</b> > <b>Non-metric MDS (nMDS)...</b> > (see if you are happy with the default settings), click <b>OK</b> .
5. Analysis of similarities ( <b>ANOSIM</b> )	<i>From the resemblance matrix:</i> click <b>Analyse</b> > <b>ANOSIM...</b> > Design > (Model: <b>One-Way - A</b> ) & Factors > A: <b>Creek</b> ) & (Max permutations: <b>9999</b> ) & ( $\checkmark$ Plot histogram), click <b>OK</b> .

## 6. Some Wizards

# Basic multivariate analysis

A useful analysis pathway (including the Example Analysis Pathway done above, with its five steps), can be accomplished in one fell swoop using the **Basic multivariate analysis** wizard. This will perform a suite of multivariate analyses commonly performed for either biotic or environmental data types, with options available that match the typical choices made for handling these different types of data.

## Run the 'Basic multivariate analysis' wizard

Let's suppose you wanted to repeat the step-by-step analyses we did before, but this time using a different pre-treatment option. For example, you may decide you'd like to analyse the same data using presence/absence information only, so as to emphasise only the turnover in species identities (and not differences in abundance values) across sample units. It would be great to run this whole set of analyses quickly, rather than going through them again one at a time.

Click on the original 'Fal nematode abundance' datasheet in the Explorer tree and then click **Wizards > Basic multivariate analysis....**


The screenshot shows the PRIMER 7 software interface. The 'Wizards' menu is open, highlighting 'Basic multivariate analysis...'. The Explorer tree on the left shows the 'Fal nematode abundance' dataset selected. The main window displays a data table titled 'Fal nematode abundance' with the subtitle 'Fal estuary nematodes Abundance'.

	Samples						
	R1	R2	R3	R4	R5	R6	R7
Anoplostoma vivip	0	0	0	0	0	0	0
Halalaimus gradis	0	0	0	0	0	0	0
Halalaimus longica	0	0	0	0	0	0	0
Oxystomina elonga	0	0	0	0	0	0	0
Viscosia viscosa	0	0	0	0	0	0	0
Tripyloides gradis	149	181	385	289	170	614	
Atrochromadora mi	0	0	0	0	0	0	0
Chromadora macro	0	4	29	63	263	123	
Chromadora nudica	0	0	0	0	0	0	7
Chromadorella ?du	0	0	0	0	0	0	0
Chromadorita nana	0	0	0	0	0	0	0
Chromadorita tenta	0	0	0	0	0	0	0
Dichromadora geop	5	0	0	0	0	0	7
Hypodontolaimus b	40	44	25	18	5	14	
Ptycholaimellus po	174	424	178	99	107	123	
Neochromadora po	0	0	0	0	0	0	0

The status bar at the bottom right indicates 'Row 1 Col 1'.



In the dialog box that follows, we can see that PRIMER is offering to perform a suite of basic multivariate analyses that are commonly performed for 'Biotic Data' (shown in bold blue font at the top). You can choose from a couple of (common) pre-treatment options, and then it will perform the analyses you choose (*via* the relevant checkboxes under 'Analyse'), using the default options for each routine. Note that different options would be shown for data of a different type (e.g., for environmental data). Recall that the 'type' of data is specified by you when you import the data into PRIMER. This can be changed for a given data sheet by clicking on **Edit > Properties** at any time.

Under 'Pre-treatment', choose 'Transformation: Presence/absence' and under 'Analyse', leave all of the default options, except you can *untick* the checkbox next to the 'SIMPER' routine (for now), then click **Finish**.



All of the requested analyses are done, and the resulting output files and graphics are shown in the Explorer tree window. Click on any of the items in the Explorer tree to see the steps that were taken, including specific data sheets, resemblance matrices, graphical outputs and results files. Although you will generally use PRIMER to perform individual analyses, one routine at a time, this wizard provides a quick way to achieve multiple analyses (provided you know *a priori* that you want to do them) with a single stroke.

The ANOSIM results ('ANOSIM2') and the 2D nMDS output (Graph9) obtained by this run of the wizard are shown below:




In this example, we can see that there are statistically significant differences in the identities of nematode species among the five creeks (ANOSIM  $R = 0.743$ ,  $P = 0.001$  with 999 permutations), although the pattern in the nMDS plot suggests that the difference between Restronguet Creek and

the other creeks is not as great as what was observed when abundance information was included in the Bray-Curtis calculation. (Compare 'Graph9', as shown above, with 'Graph2' that we obtained earlier.)

## Expanding and collapsing the Explorer tree

Note that this new set of analyses, performed using the wizard on the original imported data, will initiate its own new branch of the Explorer tree. You can always initiate a new analysis starting from a given item in the tree (e.g., from a data sheet or a resemblance matrix, etc.), and the tree will expand, generating a new branch, to accommodate these new analyses. You can use the '+' and '-' symbols in the Explorer tree to 'roll up' or 'unpack' the items in the tree belonging to a particular branch at any time.

For example, clicking on the '-' symbol next to the item named '4th-root' will 'roll up' all of the items associated with our original analysis (based on a fourth-root transformation), so the analyses that were done by the Wizard (based on presence/absence) are now closer to the top of the Explorer tree window. For clarity, we might choose to rename the sheet called 'Data1' (the data sheet produced by the wizard after performing the presence/absence transformation) to 'Pres abs'.



## 6. Some Wizards

# Matrix display

The **Matrix display** wizard produces a shade plot of a multivariate data matrix, with a useful ordering of its rows and columns that can help to clarify inter-sample and inter-species relationships, as well as gradients in turnover based on a resemblance matrix of choice.


## Create a Matrix display

Click on the original data sheet ('Fal nematode abundance', at the top of the Explorer tree window), then click on **Wizards > Matrix display...**

The screenshot shows the PRIMER 7 software interface. The 'Wizards' menu is open, and 'Matrix display...' is selected. The Explorer tree on the left shows the project structure, with 'Fal nematode abundance' at the top. The main window displays a table of nematode abundance data across various samples.

		Samples							
		R1	R2	R3	R4	R5	R6	R7	M1
Variables	Anoplostoma vivip	0	0	0	0	0	0	0	0
	Halalaimus gradis	0	0	0	0	0	0	0	0
	Halalaimus longica	0	0	0	0	0	0	0	0
	Oxystomina elonga	0	0	0	0	0	0	0	3
	Viscosia viscosa	0	0	0	0	0	0	0	0
	Tripyloides gradis	149	181	385	289	170	614	156	
	Atrochromadora mi	0	0	0	0	0	0	0	0
	Chromadora macro	0	4	29	63	263	123	67	
	Chromadora nudica	0	0	0	0	0	7	19	
	Chromadorella ?du	0	0	0	0	0	0	0	
	Chromadorita nana	0	0	0	0	0	0	0	
	Chromadorita tenta	0	0	0	0	0	0	0	
	Dichromadora geop	5	0	0	0	0	7	0	
	Hypodontolaimus b	40	44	25	18	5	14	3	
	Ptycholaimellus po	174	424	178	99	107	123	35	
	Neochromadora po	0	0	0	0	0	0	0	
	Xinema sp.	0	0	0	0	0	0	0	
Paracomesoma dub	0	0	0	0	0	0	0		
Sabatieria breviseta	0	0	0	0	0	0	0		

In the 'Matrix display wizard' dialog, leave the defaults, but choose (Transformation: **Fourth root**), then click **Finish**.




The image shows a 'Matrix display wizard' dialog box with a close button (X) in the top right corner. It contains the following settings:

- ☒ Reduce species set
  - Keep most important: 50 (spin button)
- Transformation: Fourth root (dropdown menu)
- ☐ Retain sample groups
  - By Factor: Creek (dropdown menu)



At the bottom, there are five buttons: 'Cancel', '< Previous', 'Next >', 'Finish' (highlighted with a blue border and a mouse cursor), and 'Help'.

The default graphic ('**Graph13**') shows a shade plot of the 50 most important species (here, 'most important' is defined based on the percent(%) of the total abundance obtained by a species in *any* sample). Each value in the data matrix is represented by a shaded rectangle (from white to black, by default), where the degree of shading corresponds to the abundance values (after fourth-root transformation), as shown in the key (in this example, the transformed data values range from 0 to 8).



Here, samples are ordered so as to maximise their concordance with a model of 'seriation' (or turnover), defined on the basis of Bray-Curtis similarities calculated on fourth-root transformed data. They are (furthermore) constrained according to a dendrogram constructed from a hierarchical group-average cluster analysis of those similarities ('Graph12' in the Explorer tree). The species, in turn, are ordered according to a model of seriation based on an Index of Association calculated among species after first standardising the species variables by their total abundance. They are (similarly) further constrained by their own cluster dendrogram ('Graph11' in the Explorer tree).

It would perhaps be helpful to see the different creeks as different symbols on this plot. With Graph13 (the shade plot itself) as the active item in the Explorer tree, click **Graph > Sample Labels & Symbols**, then choose (Labels ☒ Plot) & (Symbols ☒ Plot > ☒ By factor Creek) and click **OK**.



We can see from the above image that some creeks contain a rather different set of species and/or different abundances of the same species. The ordering of whole creeks shown in the shade plot (obtained using the 'seriation' model) reflects the ordering we saw in the nMDS plot for these creeks as well (see the page ['Step 4. Ordination'](#)).

From a matrix display (or shade plot), clicking on **Graph > Special** reveals a very large number of colours and other graphical options and parameters allowing the user to alter and enhance this graphic for their purposes. These are too numerous to describe in detail here, but they include a host of methods for sorting the rows and/or columns (i.e., by clicking on the **Reorder...** button in the **Graph > Special** dialog).

## 7. Run a PERMANOVA

# Overview

If you have purchased the PERMANOVA+ add-on, then you will have an additional menu item that allows you to perform a broad range of additional analyses using a suite of routines that are not available in the base PRIMER 7 package, including [PERMANOVA](#), [PERMDISP](#), [PCO](#), [DISTLM/dbRDA](#) and [CAP](#). See the [PERMANOVA+ user manual](#) for details regarding these routines and the underlying methods.


Here, we will run through a quick example of how to set up and run a multi-factor PERMANOVA analysis in PRIMER. **Permutational multivariate analysis of variance** (PERMANOVA) partitions variation in the space of a chosen dissimilarity measure in response to one or more factors in a specified sampling protocol or experimental design ( [Anderson \(2001a\)](#) , [Anderson \(2017\)](#) ). Tests of individual terms in a PERMANOVA model are achieved by constructing correct (pseudo-)F ratios on the basis of expectations of mean squares (EMS), and p-values are obtained using correct permutation algorithms given the full study design.

Importantly, the PERMANOVA routine in PRIMER allows the user:

- to specify whether factors are **fixed** or **random**,
- to specify whether a factor is **nested** in one or more other factors,
- to test **interaction terms**,
- to include one or more quantitative **covariates** in the analysis,
- to **remove** individual terms from a model or to perform **pooling**,
- to handle correctly:
  - **mixed models**
  - user-specified **contrasts**
  - **BACI designs** (before-after/control-impact),
  - **asymmetrical designs** (e.g., in environmental impact studies),
  - **randomised blocks**,
  - **split plots**,
  - **hierarchical designs**,
  - **repeated measures**,
  - **unbalanced designs** (Type I, II or III sums of squares),
  - ... and more.

# A three-factor hierarchical design

We will run PERMANOVA on an example dataset consisting of assemblages of molluscs collected from holdfasts of the kelp *Ecklonia radiata* in a 3-factor hierarchical experimental design. There were  $n = 5$  holdfasts collected from each of 2 areas (tens of meters apart) at each of 2 sites (hundreds of meters to kilometers apart) from each of 4 locations (hundreds of kilometers apart) in rocky reef habitats along the northeastern coast of New Zealand ( [Anderson et al. \(2005a\)](#) , [Anderson et al. \(2005b\)](#) ).



The map above shows the four locations on the northeastern coast of New Zealand from which holdfasts were collected for the study: Berghan Point, Home Point, Leigh and Hahei (reproduced from Fig. 1 in [Anderson et al. \(2005a\)](#) ).

The example data are found in the file called `NZ holdfast fauna abundance.pri` in the folder named 'NZ holdfast fauna' inside the 'Examples v7' folder that can be downloaded by clicking **Help > Get Examples V7....** There were 351 taxa (rows) from 15 different phyla quantified in this study. Here, we shall focus only on the phylum Mollusca (105 taxa).

Our interest lies in quantifying the degree of turnover in the identities of mollusc species at different spatial scales, as measured by the Jaccard resemblance measure. This a fully hierarchical sampling design with three spatial factors, as follows:

- Locations (random with 4 levels: Berghan Point, Home Point, Leigh and Hahei)

- Sites (random and nested in Locations, with 2 sites per location)
- Areas (random and nested in Sites, with 2 areas per site)

Areas are therefore also (necessarily) nested in Locations as well.

# Steps in a PERMANOVA analysis

The two essential steps required to run a PERMANOVA analysis in PRIMER are always:

- *first*, **specify the design**; and
- *then*, **run the PERMANOVA analysis**, given the design, on a chosen resemblance matrix (arising from the data of interest).

Generally, we first need to get our data in to PRIMER, perform appropriate pre-treatment(s), if any, then calculate a resemblance matrix from this. A resemblance matrix will always serve as the starting point for any PERMANOVA analysis.

An analysis of only the mollusc species from the holdfasts in accordance with the three-factor hierarchical design, based on Jaccard resemblances, will follow the following steps:

1. **Open the example data file** in the PRIMER workspace. Select a subset of the variables corresponding to only the mollusc species for what follows.
2. Calculate **Jaccard similarities\*** among the sampling units (individual holdfasts).
3. **Specify the experimental/sampling design** (creating a design file).
4. **Run the PERMANOVA routine** (partitioning and p-values *via* permutation for each term in the model).
5. Do an **ordination of distances among centroids** to visualise the effects and the relative importance of the factors.

*(\*Note: the Jaccard resemblance measure utilises only presence/absence information, so we do not need to perform a pre-treatment transformation step for this example.)*


# Step 1: Data selection

## Open up the example data file

Launch PRIMER, then click **File > Open...** from the main menu, navigate to the folder named 'NZ holdfast fauna' in the 'Examples v7' directory, and select 'NZ holdfast fauna abundance.pri'. Click **Open** to display the species matrix.

	Berghan11a	Berghan11b	Berghan11c	Berghan11d	Berghan11e	Berghan14a	Berghan14b
Aglaophenia sp	0	0	0	0	0	0	0
Halecium delicatulum	0	0	0	0	0	0	0
Clytia johnstoni	0	0	0	0	0	0	0
Obelia longissima	2	0	0	0	0	0	0
Orthopyxis sp	0	0	0	0	0	1	0
CorynidaeF sp1	0	0	0	0	0	0	0
Clavularia sp	2	1	1	1	1	0	0
Actinaria sp1	1	0	0	0	0	2	0
Edwardsia sp	0	0	0	1	0	0	0
ActinariaO lumped	0	0	0	0	0	0	0
Culicia rubeola	0	0	0	0	0	0	0
TurbellariaC sp1	4	4	0	3	5	8	0
Thysanozoon brock	0	0	0	0	0	0	0

Click on **Edit > Indicators...** and you will see that the data includes information about whether individual taxa were counted (enumerated) or quantified on an ordinal scale ('Ordinal' = 'N' or 'Y', respectively). Also shown are indicators showing the taxonomic groups in which each species (or taxon) variable belongs, with different levels of the taxonomic hierarchy being provided as different indicators (i.e., 'Genus', 'Family', 'Order', 'Class' and 'Phylum').




Click **OK** on the 'Indicators' dialog, so the data matrix is the active item in the workspace again.


## Select a subset of variables, using an indicator

We wish to select just the mollusc species for the analysis.

1. From the 'NZ holdfast fauna abundance' data sheet, click **Select > Variables...**






- In the 'Select Variables' dialog, choose (Indicator levels > Indicator name: **Phylum**) and click **Levels....**





- In the 'Selection' dialog, first move all of the phylum categories from the 'Include:' box (on the right) to the 'Available:' box (on the left) by clicking on the double-left-arrow button:





4. Next, click on the word 'Mollusca' in the list of 'Available' phylum categories, and click on the single-right-arrow button: . This will move it to the 'Include:' box (right-hand side) of the 'Selection' dialog.



5. Click **OK** on the 'Selection' dialog, then click **OK** on the 'Select Variables' dialog.

Voila! Whenever you have selected a subset of data (this might be a subset of variables, as done here, or a subset of samples, or both), then the data matrix will have a turquoise background colour to indicate that you have done this, like so:

PRIMER 7

File Edit Select View Wizards Pre-treatment Analyse Plots PERMANOVA+ Tools Window Help

Workspace

NZ holdfast fauna abundance


NZ kelp holdfast fauna  
Abundance

	Samples						
	Berghan11a	Berghan11b	Berghan11c	Berghan11d	Berghan11e	Berghan14a	Berghan14b
Onithochiton neglectus	2	0	0	2	0	0	0
Rhyssoplax sp	0	0	0	0	0	0	0
Notoiplax violacea	2	2	1	1	1	0	0
Asteracmea suteri	1	0	0	1	1	0	0
Incisura rosea	1	1	1	1	2	0	0
Scissurella prendre	1	0	1	4	1	0	0
Haliotis sp	0	0	0	0	0	0	0
Emarginula striatula	0	0	0	0	0	0	0
Tugali suteri	0	0	0	0	0	0	0
Cantharidus purpur	0	0	2	0	1	0	0
Herpetopoma bella	0	0	0	0	0	0	0
Herpetopoma laroc	0	0	0	0	0	0	1
Liotella polypheura	0	0	0	0	0	0	0
Trochus viridus	0	0	0	0	0	0	0
Trochus sp	0	0	0	0	0	0	0


Any analyses done on a selected subset of data will only be performed on that subset. It is usually a good idea to **duplicate and rename** a selected subset of data, so as to keep any analysis done on that subset of data clear and separate from the (full) original dataset. Note that subsetting does not affect the original full data matrix of information in any way, which is still always there. You can clear any subset selection (of variables and/or samples) by clicking on **Select > All** to return to the full data matrix in its entirety. (The turquoise background colour will go away when you do that, and the formerly selected data will yet be highlighted in a purple-ish hue. Clicking on **Select > Highlighted** can then be used to re-instate the selection from before, if desired.)

## Duplicate and rename a selected subset of data

From the subsetting data matrix, click **Tools > Duplicate**.



The result will be a new data sheet that contains only the subsetting data (in this case, only the molluscs). It shows up in the Explorer tree window. In the present example, this will (automatically) be called 'Data1'. It is no longer turquoise. The **Duplicate** routine was performed only on the subsetting (turquoise) data from the original sheet, yielding this new data sheet, a subset of the original. If you click on **Edit > Properties...**, you will see that this new sheet now only has 105 variables ('Number of rows:').



Click, hover and click again on the name 'Data1' in the Explorer tree window (or click **File > Rename Data** or hit the 'F2' key) and type in a new name for the subsetted data sheet: **Molluscs**.

The screenshot shows the PRIMER 7 software interface. On the left, the 'Workspace' pane shows a tree structure with 'NZ holdfast fauna abundance' and 'Molluscs'. The main window, titled 'Data1', displays a table of mollusk abundance data. The table has columns for 'Variables' (mollusk species) and 'Samples' (Berghan11a through Berghan14a). The data is as follows:

Variables	Berghan11a	Berghan11b	Berghan11c	Berghan11d	Berghan11e	Berghan11f	Berghan14a	Berghan14b
Onithochiton neglectus	2	0	0	2	0	0	0	0
Rhyssoplax sp.	0	0	0	0	0	0	0	0
Notoplax violacea	2	2	1	1	1	1	0	0
Asteracmea suteri	1	0	0	1	1	1	0	0
Incisura rosea	1	1	1	1	2	2	0	0
Scissurella prendre	1	0	1	4	1	1	0	0
Haliotis sp.	0	0	0	0	0	0	0	0
Emarginula striatula	0	0	0	0	0	0	0	0
Cantharidus purpur	0	0	2	0	1	1	0	0
Herpetopoma bella	0	0	0	0	0	0	0	0
Herpetopoma laroc	0	0	0	0	0	0	1	0
Liotella polypheura	0	0	0	0	0	0	0	0
Trochus viridus	0	0	0	0	0	0	0	0
Trochus sp.	0	0	0	0	0	0	0	0

The status bar at the bottom right indicates 'Row 1 Col 1'.


At this point, you might like to save your workspace. Click **File > Save Workspace As... >** (Filename: **NZ\_holdfast\_molluscs.pwk**).

## 7. Run a PERMANOVA


# Step 2: Jaccard resemblance

## Calculate the Jaccard resemblance

From the 'Molluscs' data sheet, click **Analyse > Resemblance....**



In the 'Resemblance' dialog, choose (\$\bullet\$Other) and then click on the drop-down menu to find 'S7 Jaccard', then click **OK**. (Note: 'S7' refers to the nomenclature used by [Legendre & Legendre \(2012\)](#) in their Chapter 7 on measures of ecological resemblance).



This produces a Jaccard similarity matrix among all pairs of holdfasts, called 'Resem1' by default. A nice feature of the Jaccard similarity measure is that it is directly interpretable as the percentage of shared species. For example, the first two holdfasts in the data matrix have a Jaccard similarity of 33.33%, so approximately one-third of the species that occur in either one or the other holdfast occur in both of them (i.e., are jointly present).

You can re-name this 'Jaccard' (click on the name 'Resem1' in the Explorer tree and hit the 'F2' key to re-name it), for clarity in what follows.



## 7. Run a PERMANOVA


# Step 3: Specify the design

PERMANOVA requires a **design file** to run.

You can see the Factors associated with the holdfast data matrix (or its resemblance matrix) by clicking on **Edit > Factors....** These factors will be 'visible' to the PERMANOVA dialog that we will use to create our design file.

For this study, we want to create a design file that has all of the information that PERMANOVA will need to construct the correct partitioning, the correct pseudo-F ratios and the correct permutation algorithms to test every term in the model that is implied by the design. For this example, we have a fully hierarchical (nested) study design with three random factors: Locations, Sites (within Locations) and Areas (within Sites).

1. From the resemblance matrix ('Jaccard'), click **PERMANOVA+ > Create PERMANOVA Design....**



2. In the 'PERMANOVA design properties' dialog, pick a title for your design file, and indicate the number of factors. For the holdfast example, we will choose (Title: **Three-way nested design**)&(Number of factors: **3**), then click **OK**.

PERMANOVA design properties

Title:  
Three-way nested design

Number of factors: 3

OK Cancel Help

3. You will see an empty design file with three rows, one for each factor. Each row will correspond to a factor in your design. You will need to specify, in turn, the name and properties of each factor for the analysis in its own row.

Design1

*Three-way nested design*

Factor	Nested in	Fixed/random	Contrasts
		Fixed	
		Fixed	
		Fixed	


4. **Location:** First, in row 1, click in the blank cell under the word 'Factor', and you will see a drop-down menu listing all of the factors associated with the resemblance matrix from which this design file was created. Choose 'Location' to fill this cell. Location is not nested in anything, so we leave the second cell in row 1 blank. In the third cell of row 1, we have to specify that Location is a **random** factor, so click on the word 'Fixed' and change it to 'Random'.


Design1


*Three-way nested design*

Factor	Nested in	Fixed/random	Contrasts
Location		Fixed	
		Fixed	
		Random	


4. **Site:** Next, we need to specify the second factor in the design in row 2 of the design file. Click on the cell in row 2 of the 'Factor' column (column 1) and choose 'Site'.




5. Sites are **nested in Locations**, so we have to specify that in column two ('Nested in') accordingly. Click on the cell in row 2 in column 2 and a 'Selection' dialog will pop up to allow you to choose the factors within which 'Site' is nested. You will need to click on the word 'Location' (in the 'Available:' box on the left), then on the single-right-arrow button (  ) to move it over into the 'Include:' box (on the right), then click **OK**, like so:



6. Make sure that the factor 'Site' is also specified in column 3 as 'Random'. (This happens automatically after specifying a nested term in column 2, because nested terms are, almost always, random factors.) Your design file should now look like this:



7. **Area:** Finally, we need to specify the third factor (Areas) correctly in row 3 of the design file. Under 'Factor' choose 'Area'. Under 'Nested in', specify 'Site', and make sure that column three has the word 'Random'. The final three-way nested design file should look like this:




## 7. Run a PERMANOVA

# Step 4: Run PERMANOVA

Once the design file is created, we are ready to go ahead with the PERMANOVA analysis.

1. Click on the 'Jaccard' resemblance matrix in the Explorer tree so that it is the active item in the workspace, then click **PERMANOVA+ > PERMANOVA...**



2. Check to see that the 'Design worksheet:' is **Design1**; this is the design file we created in the previous step that contains the three-way nested design. For the rest, we will keep most of the defaults in the PERMANOVA dialog, but it is wise to increase 'Num. permutations:' from **999** to **9999**, as shown below, then click **OK**.

PERMANOVA

Design worksheet: Design1 Covariable worksheet: Molluscs

Terms... Pool... ☐ Include interactions

Test

☒ Main test

☐ Pair-wise test

For term: Location

For pairs of levels of factor: Location

Sums of Squares

☐ Type I (sequential)

☐ Type II (conditional)

☒ Type III (partial)

Num. permutations: 9999

Permutation method

☐ Unrestricted permutation of raw data

☒ Permutation of residuals under a reduced model

☐ Permutation of residuals under the full model

☐ Do Monte Carlo tests

☒ Fixed effects sum to zero


☒ Use short names

OK Cancel Help

3. This produces an output file (called 'PERMANOVA1') in the Explorer tree. It shows:

- the details of the choices you made in the PERMANOVA dialog to run the analysis;
- the details of your experimental design; and
- the PERMANOVA table of results

as follows:



## Interpretation

These results show that there is statistically significant variability in the identities of molluscs among holdfasts at each of the three spatial scales in the experimental design: **Areas** ( $F_{8,64} = 1.23$ ,  $P < 0.01$ ), **Sites** ( $F_{4,8} = 1.36$ ,  $P < 0.05$ ) and **Locations** ( $F_{3,4} = 2.81$ ,  $P < 0.05$ ). Note that the p-value for Locations is somewhat limited by the number of unique values of the pseudo-F statistic under permutation that are available here. Specifically, when we permute 2 samples per group (i.e., the 8 Sites) randomly across 4 groups (the Locations), there are just 105 unique values of pseudo-F that can be obtained, so the minimum possible p-value here is  $1/105 = 0.0095$ ).

## Step 4 (continued): Key additional details about PERMANOVA in PRIMER

Following the PERMANOVA table of results, a suite of key additional details regarding the analysis can be seen in the PERMANOVA output file.

*(Note: It is not necessary to fully unpack all of these details to continue on with the analysis and interpretation of results, but some information is provided here to highlight what makes the implementation of PERMANOVA in PRIMER so unique, surpassing all other software tools in its robust handling of multi-factorial experimental designs).*

Additional details in the PERMANOVA output file include:

- details of the **expected mean squares (EMS)** for each term in the model;
- the **construction of the pseudo-F ratios** for each term in the model from the appropriate mean squares (along with the associated numerator and denominator degrees of freedom); and
- estimates of the **components of variation** for each term in the model in the space of the resemblance measure.

For example, scrolling down further in the output file from the PERMANOVA done on the holdfast data, we see:

PERMANOVA1

PERMANOVA table of results

Source	df	SS	MS	Pseudo-F	P(perm)	Unique perms
Lo	3	35564	11855	2.8086	0.0107	105
Si(Lo)	4	16883	4220.8	1.3564	0.0367	9853
Ar(Si(Lo))	8	24895	3111.8	1.232	0.0074	9709
Res	64	1.6165E+05	2525.7			
Total	79	2.3899E+05				

Details of the expected mean squares (EMS) for the model

Source	EMS
Lo	$1 \cdot V(\text{Res}) + 5 \cdot V(\text{Ar}(\text{Si}(\text{Lo}))) + 10 \cdot V(\text{Si}(\text{Lo})) + 20 \cdot V(\text{Lo})$
Si(Lo)	$1 \cdot V(\text{Res}) + 5 \cdot V(\text{Ar}(\text{Si}(\text{Lo}))) + 10 \cdot V(\text{Si}(\text{Lo}))$
Ar(Si(Lo))	$1 \cdot V(\text{Res}) + 5 \cdot V(\text{Ar}(\text{Si}(\text{Lo})))$
Res	$1 \cdot V(\text{Res})$

Construction of Pseudo-F ratio(s) from mean squares

Source	Numerator	Denominator	Num. df	Den. df
Lo	$1 \cdot \text{Lo}$	$1 \cdot \text{Si}(\text{Lo})$	3	4
Si(Lo)	$1 \cdot \text{Si}(\text{Lo})$	$1 \cdot \text{Ar}(\text{Si}(\text{Lo}))$	4	8
Ar(Si(Lo))	$1 \cdot \text{Ar}(\text{Si}(\text{Lo}))$	$1 \cdot \text{Res}$	8	64

Estimates of components of variation

Source	Estimate	Sq.root
V(Lo)	381.69	19.537
V(Si(Lo))	110.9	10.531
V(Ar(Si(Lo)))	117.22	10.827
V(Res)	2525.7	50.257

The implementation of PERMANOVA in PRIMER always uses expected mean squares (EMS) to construct correct tests for every term in the model; specifically:

- to construct the correct pseudo-F ratio; and
- to implement a permutation algorithm that
  - identifies the correct permutable units; and
  - accounts correctly for other terms in the model.

Of course, each term will require careful construction of its own test-statistic and its own permutation algorithm, both of which will depend on whether terms are fixed or random, whether there are other nested terms, covariates or interactions, etc. For unbalanced cases, the 'Type' of sum of squares is also important for the partitioning and correct construction of individual tests. All of these things can affect the EMS.

The EMS are also used to estimate the components of variation attributable to different sources of variation. These are not the same thing as raw  $R^2$  values (as are typically used to compare the relative importance of individual predictor variables in regression models). In PERMANOVA, these are calculated in a directly analogous way to the unbiased univariate ANOVA estimators. The column labeled 'Estimate' expresses these components in squared dissimilarity units, and its square root ('Sq.root', interpretable as a sort of standard deviation in the space of the resemblance measure) is also provided.

In the present example, we can see that the greatest variation occurs at the smallest spatial scale - from holdfast to holdfast within a given area (i.e., the square root of 'V(Res)' is 50.257 in Jaccard % dissimilarity units). The sources of variation (in order of importance, as quantified by the

PERMANOVA model) are: Residual > Location > Area > Site.


For more information about all of these key additional details provided in the PERMANOVA output file, please consult the [PERMANOVA+ manual](#).

## Step 5: Ordination of centroids

Having seen the results of a PERMANOVA analysis, it is natural to wish to see a **visualisation** of the patterns among centroids belonging to different groups or combinations of levels of different factors in the study design. In many cases, particularly if there is a large number of replicates in a complex study design, if one were simply to create an ordination of all individual sampling units, there would just be a lot of noise (the plot may look very messy), due to high residual variation. This tends to obscure salient patterns and important effects.

### Ordination of sampling units (all replicates)

We can produce a non-metric MDS ordination of the holdfast data by starting from the Jaccard resemblance matrix and clicking on **Analyse > MDS > Non-metric MDS...**, taking all of the defaults, then clicking **OK**. The resulting configurations are very unsatisfactory with quite high stress, either in 2 dimensions (stress = 0.28, shown below), or 3 dimensions (stress = 0.20).




Seeing a bit of a 'mess' when we plot replicates like this is actually not too surprising in many cases, and particularly in this case, considering the very high variation (high turnover) in the identities of molluscs among holdfasts at small spatial scales (within areas), as seen on the previous page (recall that the residuals contributed by far the greatest source of variation to this system).

## Ordination of distances among centroids


We can instead examine an ordination plot of the **centroids** in the space of the resemblance measure. In multi-factor designs when there is more than one factor and these factors are crossed with one another, we may need to create a single factor that consists of combinations of levels of the crossed factors (using **Edit > Factors... > Combine...**), but in the case of a fully nested design, and where nested factors all utilise unique labels (such as we have here), we can proceed without such a step.

1. From the 'Jaccard' resemblance matrix, click **PERMANOVA+ > Distances Among Centroids**, then in the 'Centroids' dialog, choose (Grouping factor: **Area**), and click **OK**.




This will give you a matrix of Jaccard dissimilarities among the 16 Area centroids; each centroid being comprised of  $n = 5$  replicate holdfasts within a given area. These are constructed in the space of the dissimilarity measure, which is not (quite) the same thing as calculating the arithmetic averages in the space of the original variables (i.e., that corresponds to a centroid in Euclidean space). In other words, these are the centroids just 'as PERMANOVA sees them' in *Jaccard* space,


when doing the partitioning. You can re-name this matrix (from 'Resem1') to 'Area centroids'; i.e.,



- From the 'Area centroids' resemblance matrix, click **Analyse > MDS > Non-metric MDS...**, take all the defaults and click **OK**.
- From the 2D nMDS (probably called 'Graph5'), click on **Graph > Sample Labels & Symbols...**, then choose (Labels > ☒ Plot > ☒ By factor > **Site**) & (Symbols > ☒ Plot > ☒ By factor > **Location**), then click **OK**.



The result is a much more interpretable ordination plot, with far lower stress, viz:



Each point now represents the centroid (in Jaccard space) for  $n = 5$  holdfasts in a given area. The numbers identify the 8 different sites, and the colours correspond to the 4 different locations. The patterns we see here are consistent with what was learned from the PERMANOVA analysis. More specifically, we can see that, within any particular location, the variation from one area to the next

(any 2 centroids having the same symbol and number) is fairly similar to the variation between the two sites (any 2 centroids having the same colour, but a different number), and also that variation among locations (different colours) exceeds this - all four locations are clearly distinguishable from one another on the plot.

# Summary of the PERMANOVA analysis

A summary of the essential commands associated with performing this PERMANOVA analysis of the holdfast data according to the 3-factor hierarchical experimental design is given in the table below:

Step	To implement in PRIMER:
1. Select <b>variable subset</b>	<i>From the original data sheet:</i> click <b>Select &gt; Variables...</b> > (\$\bullet\$Indicator levels > Indicator name: <b>Phylum</b> ), click <b>Levels...</b> > (Selection > Include: <b>Mollusca</b> ), click <b>OK</b> .
2. Jaccard <b>resemblance</b>	<i>From the subset-selected data sheet:</i> click <b>Analyse &gt; Resemblance</b> > (Measure \$\bullet\$Other > <b>S7 Jaccard</b> ) & (Analyse between \$\bullet\$Samples), click <b>OK</b> .
3. Specify the <b>design</b>	<ul style="list-style-type: none"> <li>• <i>From the resemblance matrix:</i> click <b>PERMANOVA+ &gt; Create PERMANOVA design...</b> &gt; (Title: <b>Three-way nested design</b>) &amp; (Number of factors: <b>3</b>), click <b>OK</b>.</li> <li>• <i>Fill in the appropriate details of the design in the design file.</i></li> </ul>
4. Run <b>PERMANOVA</b>	<i>From the resemblance matrix:</i> click <b>PERMANOVA+ &gt; PERMANOVA...</b> > (Design Worksheet: <b>Design1</b> ) & (Num. permutations: <b>9999</b> ) & (default settings for the rest), click <b>OK</b> .
5. Ordination of <b>centroids</b>	<ul style="list-style-type: none"> <li>• <i>From the resemblance matrix:</i> click <b>PERMANOVA+ &gt; Distance Among Centroids...</b> &gt; Centroids &gt; (Grouping factor: <b>Area</b>).</li> <li>• <i>From the resulting resemblance matrix among area centroids:</i> click <b>Analyse &gt; MDS &gt; Non-metric MDS...</b>, take all the defaults and click <b>OK</b>.</li> <li>• <i>To specify labels and symbols:</i> click <b>Graph &gt; Sample Labels &amp; Symbols...</b></li> </ul>

# 8. References

---

## [Anderson \(2001a\)](#)

Anderson, M.J. (2001a) A new method for non-parametric multivariate analysis of variance. *Austral Ecology*, **26**, 32-46.

---

## [Anderson \(2001b\)](#)

Anderson, M.J. (2001b) Permutation tests for univariate or multivariate analysis of variance and regression. *Canadian Journal of Fisheries and Aquatic Sciences*, **58**, 626-639.

---

## [Anderson \(2017\)](#)

Anderson, M.J. (2017) Permutational multivariate analysis of variance (PERMANOVA). *Wiley StatsRef: Statistics Reference Online*, **stat07941**, 1-15.

---

## [Anderson et al. \(2005a\)](#)

Anderson, M.J., Connell, S.D., Gillanders, B.M., Diebel, C.E., Blom, W.M., Saunders, J.E. & Landers, T.J. (2005a) Relationships between taxonomic resolution and spatial scales of multivariate variation. *Journal of Animal Ecology*, **74**, 636-646.

---

## [Anderson et al. \(2011\)](#)

Anderson, M.J., Crist, T.O., Chase, J.M., Vellend, M., Inouye, B.D., Freestone, A.L., Sanders, N.J., Cornell, H.V., Comita, L.S., Davies, K.F., Harrison, S.P., Kraft, N.J.B., Stegen, J.C. & Swenson N.G. (2011) Navigating the multiple meanings of  $\beta$  diversity: a roadmap for the practicing ecologist. *Ecology Letters*, **14**, 19-28.

---

## [Anderson et al. \(2005b\)](#)

Anderson, M.J., Diebel, C.E., Blom, W.M. & Landers, T.J. (2005b) Consistency and variation in kelp holdfast assemblages: spatial patterns of biodiversity for the major phyla at different taxonomic resolutions. *Journal of Experimental Marine Biology and Ecology*, **320**, 35-56.

---

## [Anderson & ter Braak \(2003\)](#)

Anderson, M.J. & ter Braak, C.J.F. (2003) Permutation tests for multi-factorial analysis of variance. *Journal of Statistical Computation and Simulation*, **75**, 85-113.

---

## [Clarke \(1993\)](#)

Clarke, K.R. (1993) Non-parametric multivariate analyses of changes in community structure. *Australian Journal of Ecology*, **18**, 117-143.

---

[Clarke et al. \(2006\)](#)

Clarke, K.R., Somerfield, P.J. & Chapman, M.G. (2006) On resemblance measures for ecological studies, including taxonomic dissimilarities and a zero-adjusted Bray-Curtis coefficient for denuded assemblages. *Journal of Experimental Marine Biology and Ecology*, **330**, 55-80.

---

[Gray et al. \(1990\)](#)

Gray, J.S., Clarke, K.R., Warwick, R.M. & Hobbs, G. (1990) Detection of initial effects of pollution on marine benthos: an example from the Ekofisk and Eldfisk oilfields, North Sea. *Marine Ecology Progress Series*, **66**, 285-299.

---

[Kruskal & Wish \(1978\)](#)

Kruskal, J.B. & Wish, M. (1978) *Multidimensional scaling*. Beverly Hills: Sage Publications.

---

[Legendre & Legendre \(2012\)](#)

Legendre, P. & Legendre, L. (2012) *Numerical ecology, 3rd English edition*. Amsterdam: Elsevier.

---

[McArdle & Anderson \(2001\)](#)

McArdle, B.H. & Anderson, M.J. (2001) Fitting multivariate models to community data: a comment on distance-based redundancy analysis. *Ecology*, **82**, 290-297.

---

[Somerfield et al. \(1994a\)](#)

Somerfield, P.J., Gee, J.M. & Warwick, R.M. (1994a) Benthic community structure in relation to an instantaneous discharge of waste water from a tin mine. *Marine Pollution Bulletin*, **28**, 363-369.

---

[Somerfield et al. \(1994b\)](#)

Somerfield, P.J., Gee, J.M. & Warwick, R.M. (1994b) Soft sediment meiofaunal community structure in relation to a long-term heavy metal gradient in the Fal estuary system. *Marine Ecology Progress Series*, **105**, 79-88.

---

[Somerfield et al. \(2021a\)](#)

Somerfield, P.J., Clarke, K.R. & Gorley, R.N. (2021a) A generalised analysis of similarities (ANOSIM) statistic for designs with ordered factors. *Austral Ecology*, **46**, 901-910.

---

[Somerfield et al. \(2021b\)](#)

Somerfield, P.J., Clarke, K.R. & Gorley, R.N. (2021b) Analysis of Similarities (ANOSIM) for 2-way layouts using a generalised ANOSIM statistic, with comparative notes on Permutational Multivariate Analysis of Variance (PERMANOVA). *Austral Ecology*, **46**, 911-926.

---

[Somerfield et al. \(2021c\)](#)

Somerfield, P.J., Clarke, K.R. & Gorley, R.N. (2021c) Analysis of Similarities (ANOSIM) for 3-way designs. *Austral Ecology*, **46**, 927-941.

---