

Index to data sets

Sections in which the specified data sets are analysed; bold indicates location of an introduction to the dataset and a source reference. The list is ordered by first appearance and the heading gives the data directory.

- \Ekofisk macrofauna
 - Ekofisk oilfield monitoring (N Sea), soft-sediment macrofauna counts & contaminant variables:
 - Sections: **1**, 4, 5, 8, 9, 10, 14
- \Tasmania meiofauna
 - Tasmanian soldier crab disturbance study (Australia), sandflat nematode & copepod abundance:
 - Sections: **1**, 3, 9, 10, 11
- \WA fish diets
 - W Australian coastal fish, dietary data, gut composition of prey categories:
 - Sections: **3**, 4, 8, 9, 17
- \Fal benthic fauna
 - Fal estuary mudflats (SW England), copepod, nematode & macrofauna abundance (and metal levels):
 - Sections: **4**, 10, 17
- \N Sea biomarkers
 - Biomarkers in flounder tissues (Southern N Sea), biochemical & histological variables:
 - Sections: **4**, 5, 9, 10, 12
- \Denmark PSA
 - Danish sediments, particle size distributions:
 - Sections: **4**, 9
- \Tikus corals
 - Tikus Island, Thousand Islands (Indonesia) over coral bleaching event, coral % area cover:
 - Sections: **5**, 16, 17
- \Plymouth PSA
 - Plymouth water samples, particle size distributions:
 - Section: **5**
- \Europe groundfish
 - Groundfish trawl surveys (NW European shelf waters), fish abundance:

- Sections: **5**, 6, 7, 11, 16
- \Exe nematodes
 - Exe estuary intertidal (SW England), nematode abundance & natural environmental data:
 - Sections: **6**, 8, 9, 10, 14
- \BC zooplankton
 - Bristol Channel plankton net hauls (W England), zooplankton abundance:
 - Sections: **6**, 7, 8, 10
- \Morlaix macrofauna
 - Morlaix Bay, Amoco-Cadiz oil-spill (N coast of France), time series of macrofauna abundance:
 - Sections: **8**, 10, 14
- \Tees macro benthos
 - Tees Bay (NE England), time series of macrobenthic abundance in coastal sediments:
 - Sections: **8**, 9, 14
- \World cities
 - Great-circle distances between world cities:
 - Section: **8**
- \Phuket corals
 - Ko Phuket reefs under disturbance (Thailand), spatio-temporal series of coral transect cover:
 - Sections: **8**, 9, 14
- \Messolongi diatoms
 - Messolongi lagoon system (E Central Greece), diatom abundance & water-column environmental data:
 - Sections: 8, **13**
- \Calafuria algae
 - Calafuria colonisation experiments on subtidal rock (Ligurian Sea, N Italy), macroalgae cover:
 - Sections: **9**, 14
- \Wrasse diets
 - King Wrasse diets (W Australia), gut prey composition by volume, over fish size, location and season:
 - Sections: **9**, 10
- \NZ holdfast fauna

- Holdfast fauna (northern New Zealand), macrofaunal abundance at nested spatial scales:
 - Sections: **9**
 - \Frierfjord macrofauna
 - Frierfjord/Langesundfjord (Oslofjord, Norway), subtidal soft-sediment macrofaunal abundance:
 - Sections: **10**
 - \Linnhe macrofauna
 - Loch Linnhe pulp-mill effluent monitoring (Scotland), macrofauna abundance & biomass:
 - Sections: **10, 16**
 - \Clyde macrofauna
 - Clyde sludge dumpground monitoring (Scotland), macrofauna abundance/biomass & contaminant variables:
 - Sections: **11, 12, 14, 15, 16**
 - \Sea-loch macrofauna
 - Sea-lochs Loch Etive & Loch Creran (Scotland), soft-sediment macrofauna sampled over circles & transect:
 - Sections: **14, 16**
 - \Leschenault fish
 - Leschenault estuary (W Australia), seine net samples of fish communities regionally and seasonally:
 - Section: **14**
 - \Solberg copepods
 - Solbergstrand mesocosm, nutrient-enrichment experiments (Norway), copepod abundance:
 - Section: **14**
 - \Bermuda benthos
 - Bermuda, Hamilton Harbour, sub-tropical macrofauna abundance:
 - Section: **15**
-

Revision #8

Created 12 March 2024 22:34:19 by Arden

Updated 14 November 2024 22:54:16 by Arden